


Once an intrusion has triggered your system webeyecms will deliver an alarm notification and a video clip to the right people within seconds

Various scenarios when using audio in webeyecms


**AUDIO CHALLENGE**

- Speak to an intruder on site
- Relay important information/warning




**NVR with Powered Speaker**

- Ensure the speaker is powered
- Ensure the speaker input has an RCA connector – use an adaptor if necessary
- Connect the speaker input to the NVR Audio Out port




**NVR with Unpowered Speaker + Amplifier**

- Connect the amplifier Audio In port to the NVR Audio Out port – Use stereo to mono adaptors if necessary
- Connect the speaker L and R connectors to the amplifier – Use RCA adaptors if necessary



**Camera with Powered Speaker**

- Ensure the speaker is powered
- Ensure the speaker input has an RCA connector – use an adaptor if necessary
- Connect the speaker input to the Camera Audio Out port – Use an RCA adaptor if necessary



**NVR with Unpowered Speaker + Amplifier**

- Connect the amplifier Audio In port to the camera Audio Out port – Use stereo to mono adaptors and RCA adaptors if necessary
- Connect the speaker L and R connectors to the amplifier – Use RCA adaptors if necessary

Contact us

+44 (0)115 714 9990

+1 863 588 3757

email sales@webeyecms.com

www.webeyecms.com

HIKVISION

VIDEOFIED  
ULTIMATE SECURITY

AVIGILON

DAHUA  
TECHNOLOGY

Luminite

AJAX



GUD  
DETECT & SECURE

Visonic

Calipsa



**COVERT- LISTEN ONLY**

- Listen to any noise/speech from around the NVR/Cameras
- Intruder will be unaware they are being recorded




**NVR with Powered Microphone**

- Ensure the microphone is powered
- Connect the microphone *audio out* port to the NVR *audio in* port - use an adaptor if necessary




**NVR with Unpowered Microphone + Pre-amp**

- Connect the microphone to the pre-amp
- Connect the pre-amp *Audio Out* port to the NVR *Audio In* port – Use a stereo to mono adaptor if necessary



**Camera with Powered Microphone**

- Ensure the microphone is powered
- Connect the microphone *audio out* port to the camera *audio in* port - use an adaptor if necessary



**Camera with Unpowered Microphone + Pre-amp**


- Connect the microphone to the pre-amp
- Connect the pre-amp *Audio Out* port to the Camera *Audio In* port – Use a stereo to mono adaptor and additional converters if necessary




**Camera with built in Microphone**

- No wiring necessary

Contact us

 +44 (0)115 714 9990

 +1 863 588 3757

email sales@webeyecms.com

www.webeyecms.com

**HIKVISION**



**VIDEOFIED**  
ULTIMATE SECURITY

**AVIGILON**

**dahua**  
TECHNOLOGY

**Luminite**

**AJAX**


**GJD**  
DETECT & SECURE

**Visonic**

**Calipsa**


## TWO-WAY CHALLENGE

- Speak to an intruder on site
- Relay important information/warning
- Listen to any noise/speech from around the NVR/Cameras




### NVR with Powered Microphone and Powered Speaker

- Ensure the microphone and speaker are both powered
- Ensure the microphone *audio out* and speaker *audio in* ports have RCA connectors - use adaptors if necessary
- Connect the microphone *audio out* port to the NVR *audio in* port
- Connect the speaker *audio in* port to the NVR *audio out* port




### NVR with Unpowered Microphone + Pre-amp and Unpowered Speaker + Amplifier

- Connect the microphone to the preamp
- Connect the speaker to the amp
- Connect the preamp *audio out* port to the NVR *audio in* port
- Connect the amp *audio in* port to the NVR *audio out* port



### Camera with Powered Microphone and Powered Speaker

- Ensure the microphone and speaker are both powered
- Connect the microphone *audio out* port to the camera *audio in* port - use an adaptor if necessary
- Connect the speaker *audio in* port to the camera *audio out* port - use an adaptor if necessary



### Camera with Unpowered Microphone + Pre-amp and Unpowered Speaker + Amplifier

- Connect the microphone to the preamp
- Connect the speaker to the amp
- Connect the preamp *audio out* port to the camera *audio in* port - use an adaptor if necessary
- Connect the amp *audio in* port to the camera *audio out* port - use an adaptor if necessary

Contact us

+44 (0)115 714 9990

+1 863 588 3757

email sales@webeyecms.com

www.webeyecms.com

HIKVISION

VIDEOFIED  
ULTIMATE SECURITY

AVIGILON

dahua  
TECHNOLOGY

Luminite

AJAX

GJD  
DETECT & SECURE

Vivonic

Calipsa